

## **STANLEY**Engineered Fastening




# Selection Guide Speed Fastening® Systems



## POP \*\* Avdel \*\* Speed Fastening \*\* Systems



This selection guide is designed to illustrate which fasteners may be the most suitable for your application. This guide does not include the full range of POP Avdel products; our Applications Engineers are available to advise as to the best solution for your specific application needs.





## Benefits of Assembly

Speed Fastening® systems provide rapid and reliable assembly of metals, plastics, composites and passive electronic components. The fasteners are either magazine-fed or fed via a vibrating bowl to a wide choice of installation equipment.

At the end of each assembly cycle, the next fastener is automatically delivered to the nose of the tool ready to repeat the assembly process. Speed Fastening offers many benefits over conventional mechanical assembly systems, including:

- High speed, blind sided assembly
- Consistent clamp and grip
- Good vibration resistance
- No waste material, environmentally friendly
- Highly controlled assembly
- Short cycle times
- Elimination of over-torquing
- Low placing load shock

## Range Overview

Double Flush Chobert® NeoSpeed® Wide grip range Designed for thin sheet materials High joint clamp Flush surface on both sides of the Hole filling Reduces excess space requirements Very high strength within the chassis Briv® Bulbed tail form Grovit® Designed for blind hole Large headform applications High joint clamp Annular grooves on body Good joint gap closure For use in wood, plastics, fibreglass and aluminium Rivscrew<sup>®</sup> Threaded fastener Avtronic® Attaches DIN 41612 connectors Removable with hex key and other components to PCBs and reusable Annular grooves on body Fastens into materials up to Vickers hardness 105 Hv5 Rivscrew® PL Same as Rivscrew® fastener plus: Avsert® Threaded stand-off pillars for PCBs Special thread design for a wide Internally threaded bore range of plastics Variety of stand-off heights and Wide grip range thread sizes Chohert® Internal tapered bore Avlug® Solderable terminal posts Controlled clamp for PCRs High shear Rolled/knurled shank Ideal for soft and brittle materials

### Other fasteners available:

Miniature Speed Fastening® - for small applications Hose barb - for attaching fluid connections Solder resist Speed Fastening® - to resist solder in electronic applications



Avdel UK Limited Stanley House, Works Road Letchworth Garden City, Hertfordshire SG6 1JY Tel. +44 (0)1582 900-000 · Fax -001 enquiries2@sbdinc.com

www.StanleyEngineeredFastening.com

© 2013 Stanley Black & Decker, Inc., Rev. 10b.2013